Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP




FIG. 1

Inventor(s): Masayasu MiYATA, et al. Atty. Ref.: 9319A-001667/US/NP

2/13




FIG. 2

- . . -

Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP

3/13







FIG. 3

Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP










Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP

5/13









Title: SEMICONDUCTOR DEVICE, ELECTRONIC DEVICE AND ELECTRONIC APPARATUS

Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP

6/13





Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP




FIG. 5

Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP




FIG. 6

Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP




FIG. 7

AND ELECTRONIC APPARATUS
Inventor(s): Masayasu MIYATA, et al.
Atty. Ref.: 9319A-001667/US/NP




FIG. 8

Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP




FIG. 9

Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP





FIG. 10

Inventor(s): Masayasu MIYATA, et al. Atty. Ref.: 9319A-001667/US/NP



Electric Field Intensity (MV/cm)

FIG. 11